ELSEVIER

Molecular Cell Research

Vol. 1402, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Acarregui, M.J., Brown, J.J. and Penisten, S.T.
Cyclic AMP-dependent protein kinase (PKA) gene expression is developmentally regulated in fetal lung (1402) 303
Alfsen, A., see Turpin, E. (1402) 115
Ali, A., see Bharadwaj, S. (1402) 79
Ali, N., Kantachuvesiri, S., Smallwood, J.I., Macala, L.J., Isales, C., Ji, J., Reilly, R. and Hayslett, J.P.
Vasopressin-induced activation of protein kinase C in renal epithelial cells (1402) 188
Aoki, S., see Gal-Levi, R. (1402) 39

Balzarini, J., Hatse, S., Naesens, L. and De Clercq, E.
Selection and characterisation of murine leukaemia L1210 cells with high-level resistance to the cytostatic activity of the acyclic nucleoside phosphonate 9-(2-phosphonylmethoxyethyl) adenine (PMEA) (1402) 29
Barhite, S., Thibault, C. and Miles, M.F.
Phosducin-like protein (PhLP), a regulator of G$\beta\gamma$ function, interacts with the proteasomal protein SUG1 (1402) 95
Barnoy, S., Glaser, T. and Kosower, N.S.
The calpain–calpastatin system and protein degradation in fusing myoblasts (1402) 52
Barr, R., see Craig, R.G. (1402) 250
Basilion, J.P., see Moore, A. (1402) 239
Bayard, B.A., see Tnani, M. (1402) 139
Benito, M., see Roncero, C. (1402) 151
Bharadwaj, S., Hnatov, A., Ali, A. and Ovsenek, N.
Induction of the DNA-binding and transcriptional activities of heat shock factor 1 is uncoupled in *Xenopus* oocytes (1402) 79
Boilly-Marer, Y., see Damiens, E. (1402) 277
Bois-Joyeux, B., see Roncero, C. (1402) 151
Boland, J., see Craig, R.G. (1402) 250
Bomsel, M., see Turpin, E. (1402) 115
Bovelander, F.J., see Corpe, C.P. (1402) 229
Brown, J.J., see Acarregui, M.J. (1402) 303
Burant, C.F., see Corpe, C.P. (1402) 229
Burdyga, Th.V., Taggart, M.J., Crichton, C., Smith, G.L. and Wray, S.
The mechanism of Ca^{2+} release from the SR of permeabilised guinea-pig and rat ureteric smooth muscle (1402) 109

Calzolari, E., see Spisni, E. (1402) 61
Cavazzoni, M., see Spisni, E. (1402) 61
Chiocca, E.A., see Moore, A. (1402) 239
Cockett, M.I., see Jones, P.G. (1402) 288
Corpe, C.P., Bovelander, F.J., Hoekstra, J.H. and Burant, C.F.
The small intestinal fructose transporters: site of dietary perception and evidence for diurnal and fructose sensitive control elements (1402) 229
Cossart, P., see Lasa, I. (1402) 217
Craig, R.G., Yu, Z., Xu, L., Barr, R., Ramamurthy, N., Boland, J., Schneir, M. and Golub, L.M.
A chemically modified tetracycline inhibits streptozotocin-induced diabetic depression of skin collagen synthesis and steady-state type I procollagen mRNA (1402) 250
Crichton, C., see Burdyga, Th.V. (1402) 109

Damiens, E., Mazurier, J., El Yazidi, I., Masson, M., Duthille, I., Spik, G. and Boilly-Marer, Y.
Effects of human lactoferrin on NK cell cytotoxicity against haematopoietic and epithelial tumour cells (1402) 277
Danan, J.-L., see Roncero, C. (1402) 151
De Clercq, E., see Balzarini, J. (1402) 29
Dehoux, P., see Lasa, I. (1402) 217
Denizot, Y., Dulery, C., Trimoreau, F., Desplat, V. and Praloran, V.
Arachidonic acid and human bone marrow stromal cells (1402) 209
De Paillerets, C., see Turpin, E. (1402) 115
Desplat, V., see Denizot, Y. (1402) 209
Dubois, T., see Turpin, E. (1402) 115
Dulery, C., see Denizot, Y. (1402) 209
Duthille, I., see Damiens, E. (1402) 277

El Yazidi, I., see Damiens, E. (1402) 277

Fabregat, I., see Roncero, C. (1402) 151
Foss, G.S., Larsen, F., Solheim, J. and Prydz, H.
Constitutive and interferon-γ-induced expression of the human proteasome subunit multicatalytic endopeptidase complex-like 1 (1402) 17
Frade, R., see Rodrigues-Lima, F. (1402) 131
Fukui, Y., see Shirai, T. (1402) 292

Gal-Levi, R., Leshem, Y., Aoki, S., Nakamura, T. and Halevy, O.
Hepatocyte growth factor plays a dual role in regulating skeletal muscle satellite cell proliferation and differentiation (1402) 39
George, S.R., see Jin, H. (1402) 165
Glaser, T., see Barnoy, S. (1402) 52
Golub, L.M., see Craig, R.G. (1402) 250
Gouilleux, F., see Piekorz, R.P. (1402) 313
Griffoni, C., see Spisni, E. (1402) 61
Groner, B., see Piekorz, R.P. (1402) 313

Halevy, O., see Gal-Levi, R. (1402) 39
Hashimoto, Y., see Shirai, T. (1402) 292
Hatse, S., see Balzarini, J. (1402) 29
Hattori, S., see Shirai, T. (1402) 292
Hayslett, J.P., see Ali, N. (1402) 188
Hermann, J., see Rodrigues-Lima, F. (1402) 131
Hiramatsu, Y., see Yoshimura, K. (1402) 171
Hnatov, A., see Bharadwaj, S. (1402) 79
Hocke, G.M., see Piekorz, R.P. (1402) 313
Hoekstra, J.H., see Corpe, C.P. (1402) 229

Isales, C., see Ali, N. (1402) 188
Iwamatsu, A., see Shirai, T. (1402) 292

Jänicke, R.U., Porter, A.G. and Kush, A.
A novel *Arabidopsis thaliana* protein protects tumor cells from tumor necrosis factor-induced apoptosis (1402) 70
Jean, D., see Rodrigues-Lima, F. (1402) 131
Ji, J., see Ali, N. (1402) 188
Jin, H., Nip, S., O'Dowd, B.F. and George, S.R.
D1 dopamine receptor activity is not altered by a mutation in the first intracellular loop (1402) 165
Jones, P.G., Lombardi, S.J. and Cockett, M.I.
Cloning and tissue distribution of the human G protein $\beta 5$ cDNA (1402) 288

Kanatsuka, A., see Onuma, H. (1402) 197
Kantachuvesiri, S., see Ali, N. (1402) 188
Khosla, M., see Kosaka, C. (1402) 1
Kolch, W., see Prouty, S.M. (1402) 6
Kosaka, C., Khosla, M., Weeks, G. and Pears, C.
Negative influence of RasG on chemoattractant-induced ERK2 phosphorylation in *Dictyostelium* (1402) 1
Kosower, N.S., see Barnoy, S. (1402) 52
Kush, A., see Jänicke, R.U. (1402) 70
Kuwayama, H. and Van Haastert, P.J.M.
cGMP potentiates receptor-stimulated Ca^{2+} influx in *Dictyostelium discoideum* (1402) 102

Langley, S.D., see Longo, N. (1402) 86
Larsen, F., see Foss, G.S. (1402) 17
Lasa, I., Dehoux, P. and Cossart, P.
Actin polymerization and bacterial movement (1402) 217
Leshem, Y., see Gal-Levi, R. (1402) 39
Li, S., see Shirai, T. (1402) 292
Lombardi, S.J., see Jones, P.G. (1402) 288
Longo, N., Langley, S.D. and Still, M.J.
Role of arginine 86 of the insulin receptor in insulin binding and activation of glucose transport (1402) 86
Lundgren, K., see Westergaard, N. (1402) 261

Macala, L.J., see Ali, N. (1402) 188
Madsen, P., see Westergaard, N. (1402) 261
Makino, H., see Onuma, H. (1402) 197
Mano, H., see Shirai, T. (1402) 292
Maroo, A., see Prouty, S.M. (1402) 6
Masson, M., see Damiens, E. (1402) 277
Maucher, C., see Prouty, S.M. (1402) 6
Mazurier, J., see Damiens, E. (1402) 277
Mesa, M.L., see Roncero, C. (1402) 151
Miles, M.F., see Barhite, S. (1402) 95
Mischak, H., see Prouty, S.M. (1402) 6
Moore, A., Basilion, J.P., Chiocca, E.A. and Weissleder, R.
Measuring transferrin receptor gene expression by NMR imaging (1402) 239
Murakami, M., see Yoshimura, K. (1402) 171

Naesens, L., see Balzarini, J. (1402) 29
Nagata, S., see Shirai, T. (1402) 292
Nakamura, T., see Gal-Levi, R. (1402) 39
Neumann, B., see Piekorz, R.P. (1402) 313
Nip, S., see Jin, H. (1402) 165

O'Dowd, B.F., see Jin, H. (1402) 165
Okawa, K., see Shirai, T. (1402) 292
Onuma, H., Makino, H., Osawa, H., Suzuki, Y., Taira, M., Kanatsuka, A. and Saito, Y.
Mitogen-activated protein kinase and p70 ribosomal protein S6 kinase are not involved in the insulin-dependent stimulation of cAMP phosphodiesterase kinase in rat adipocytes (1402) 197
Osawa, H., see Onuma, H. (1402) 197
Ovsenek, N., see Bharadwaj, S. (1402) 79

Pears, C., see Kosaka, C. (1402) 1
Penisten, S.T., see Acarregui, M.J. (1402) 303
Piekorz, R.P., Rinke, R., Gouilleux, F., Neumann, B., Groner, B. and Hocke, G.M.
Modulation of the activation status of Stat5a during LIF-induced differentiation of M1 myeloid leukemia cells (1402) 313
Porter, A.G., see Jänicke, R.U. (1402) 70
Praloran, V., see Denizot, Y. (1402) 209
Prouty, S.M., Maroo, A., Maucher, C., Mischak, H., Kolch, W. and Sedivy, J.M.
Studies of perinuclear and nuclear translocation of the Raf-1 protein in rodent fibroblasts (1402) 6
Prydz, H., see Foss, G.S. (1402) 17

Ramamurthy, N., see Craig, R.G. (1402) 250
Reilly, R., see Ali, N. (1402) 188
Rinke, R., see Piekorz, R.P. (1402) 313
Rodrigues-Lima, F., Hermann, J., Jean, D. and Frade, R.
$\alpha 1$-Proteinase inhibitor is the serum regulator of the activity of p57, a C3-cleaving proteinase present in human erythrocyte membranes (1402) 131
Roncero, C., Ventura, J.-J., Sánchez, A., Bois-Joyeux, B., Mesa, M.L., Thomassin, H., Danan, J.-L., Benito, M. and Fabregat, I.
Phorbol esters down-regulate alpha-fetoprotein gene expression without affecting growth in fetal hepatocytes in primary culture (1402) 151
Russo-Marie, F., see Turpin, E. (1402) 115

Saito, Y., see Onuma, H. (1402) 197
Sánchez, A., see Roncero, C. (1402) 151
Sawada, T., see Shirai, T. (1402) 292
Schneir, M., see Craig, R.G. (1402) 250
Sedivy, J.M., see Prouty, S.M. (1402) 6
Shirai, R., see Shirai, T. (1402) 292
Shirai, T., Tanaka, K.-i., Terada, Y., Sawada, T., Shirai, R., Hashimoto, Y., Nagata, S., Iwamatsu, A., Okawa, K., Li, S., Hattori, S., Mano, H. and Fukui, Y.
Specific detection of phosphatidylinositol 3,4,5-trisphosphate binding proteins by the PIP_3 analogue beads: An application for rapid purification of the PIP_3 binding proteins (1402) 292
Shishodia, S., see Shrivastava, A. (1402) 269
Shrivastava, A., Shishodia, S. and Sodhi, A.
Expression of LFA-1 adhesion molecules on cisplatin-treated macrophages (1402) 269
Smallwood, J.I., see Ali, N. (1402) 188
Smith, G.L., see Burdyga, Th.V. (1402) 109
Sodhi, A., see Shrivastava, A. (1402) 269
Solheim, J., see Foss, G.S. (1402) 17
Spik, G., see Damiens, E. (1402) 277
Spisni, E., Cavazzoni, M., Griffoni, C., Calzolari, E. and Tomasi, V.
Evidence that photodynamic stress kills Zellweger fibroblasts by a nonapoptotic mechanism (1402) 61

Still, M.J., see Longo, N. (1402) 86
Suzuki, Y., see Onuma, H. (1402) 197

Taggart, M.J., see Burdyga, Th.V. (1402) 109
Taira, M., see Onuma, H. (1402) 197
Tanaka, K.-i., see Shirai, T. (1402) 292
Terada, Y., see Shirai, T. (1402) 292
Thibault, C., see Barhite, S. (1402) 95
Thomassin, H., see Roncero, C. (1402) 151
Tnani, M. and Bayard, B.A.
Lack of 2′,5′-oligoadenylate-dependent RNase expression in the human hepatoma cell line HepG2 (1402) 139
Tomasi, V., see Spisni, E. (1402) 61
Trimoreau, F., see Denizot, Y. (1402) 209
Turpin, E., Russo-Marie, F., Dubois, T., De Paillerets, C., Alfsen, A. and Bomsel, M.
In adrenocortical tissue, annexins II and VI are attached to clathrin coated vesicles in a calcium-independent manner (1402) 115

Van Haastert, P.J.M., see Kuwayama, H. (1402) 102
Ventura, J.-J., see Roncero, C. (1402) 151

Weeks, G., see Kosaka, C. (1402) 1
Weissleder, R., see Moore, A. (1402) 239
Westergaard, N., Madsen, P. and Lundgren, K.
Characterization of glycerol uptake and glycerol kinase activity in rat hepatocytes cultured under different hormonal conditions (1402) 261
Wray, S., see Burdyga, Th.V. (1402) 109

Xu, L., see Craig, R.G. (1402) 250

Yoshimura, K., Hiramatsu, Y. and Murakami, M.
Cyclic AMP potentiates substance P-induced amylase secretion by augmenting the effect of calcium in the rat parotid acinar cells (1402) 171
Yu, Z., see Craig, R.G. (1402) 250